

# BEST AVAILABLE COPY

## SEARCHED

Class	Sub.	Date	Exmr.
435	4, 7, 7.21, 192 794, 25, 28 805, 810, 97, 970, 971, 257.1 287.2, 287.7, 287.9, 180, 58 14	8/1/01	L/C
436	65, 530, 541, 169, 510, 541, 519, 523, 525, 531, 534, 535, 810, 818, 142, 904, 146, 140,		
422	56, 57, 58, 101	8/1/01	L/C
update and	as above below 250 357 358	7/23/02 208.1, 212 321 494, 497, 213, 22	L/C L/C 7/23/02
update as above		3/24/03	L/C
update as above		10/30/03	L/C
update as above		4/29/05	L/C
update as above		7/25/06	L/C

## INTERFERENCE SEARCHED

Class	Sub.	Date	Exmr.

## SEARCH NOTES (INCLUDING SEARCH STRATEGY)

STIC search submitted 7/11/01 L/C	Date	Exmr.
East/West patent database search.	8/1/01	L/C
STI - biosis, cophas, ambase, redline, concurrent,	8/1/01	L/C
updated as above	2/23/02	L/C
updated as above and below	3/24/03	L/C
Spe Longle Chris Chin Thuy Bo	Test Strip detection Teaching IAC - independent assay controls	
given US patent # 6,187,598 applied in re-opened application		
Longle - New master rejection for timing zone	3/24/03	L/C
update as above	10/30/03	L/C
Discussed w/ Chris - add drawing objection New matter on amendments withdraw EPO S10 436 A1 make final	10/30/03 10/31/03	L/C L/C
update as above	4/29/05	L/C
Appeal conference Long Le (spe) Lenny Heims maintain w/ rejections	7/25/06	L/C